



REAL-TIME qPCR

Reliance One-Step Multiplex Supermix

Maximize Throughput and Quality of Your qPCR Data

Introduction

For researchers who want to reliably and reproducibly quantify multiple RNA targets directly, Reliance One-Step Multiplex Supermix is the best choice.

Key features of this robust supermix include:

- Sensitive, reproducible multiplexing of up to 5 targets
- 24-hour reaction stability at room temperature
- Convenient one-tube supermix for easy reaction setup
- 4x concentrated formulation to load more diluted RNA (as little as 1 pg)
- Tolerance to common PCR inhibitors, ideal for samples of varying quality

The Reliance One-Step Multiplex Supermix allows researchers to:

- Amplify multiple targets with maximum efficiency
- Accelerate data throughput while decreasing costs and reaction time
- Achieve consistent and reproducible data, run after run
- Streamline automated workflows by bypassing the need for plate refrigeration

The Reliance One-Step Multiplex Supermix is ideal for:

- Gene expression studies
- Viral/pathogen detection
- Diagnostic research
- High-throughput screening



tube format



concentrated



targets per sample



hours of room temperature stability



A Robust Formulation Perfect for Multiplex RT-qPCR

When you need more data and higher throughput without compromising any performance, you need a supermix that can get the job done reliably.



Proprietary Reliance chimeric reverse transcriptase for maximized detection sensitivity

Optimized blend of powerful DNA polymerases including Sso7d Fusion Polymerase*

Refined, robust buffer formulation optmized for multiplexing and sample stability

Proprietary blend of passive reference dyes,**
including ROX, to enable detection in any instrument

- * U.S. patents 6,627,424; 7,541,170; 7,560,260.
- ** U.S. patent 9,493,824.



Integrate Reliance One-Step Multiplex Supermix with the CFX Automation System II to enable walk-away highthroughput qPCR operation.

Visit bio-rad.com/CFXauto for more information.



Multiplex with minimal cross-reactivity using expertly designed Prime PCR Probe Assays for gene expression.


Visit bio-rad.com/PrimePCR for more information.



Streamline the RT-qPCR workflow by eliminating RNA extraction step.

Visit bio-rad.com/SingleShot for more information.


Exceptional Performance of 5-Target Multiplex



Reporter Dye	Assays	Efficiency	R ²	Slope
- FAM	ACTB	99.0%	1.000	-3.346
- HEX	NGFRP	100.5%	0.999	-3.311
 Texas Red 	TBP	97.6%	0.997	-3.382
– Cy5	EF1a	96.6%	0.999	-3.406
– Cy5.5	GAPDH	96.9%	1.000	-3.397

Fig. 1. The linear dynamic range in 5-plex one-step RT-qPCR reactions. Five targets across seven orders of magnitude (1 pg to 1 μg RNA input) were amplified using Reliance One-Step Multiplex Supermix on a CFX96 Touch Real-Time PCR Detection System. The results demonstrated exceptional performance with superior efficiency and linearity over a wide dynamic range down to 1 pg of RNA input.

Reliable and Sensitive 10-Copy Detection



Reporter Dye	Assays	Template	Input Amount(s)	
- FAM	Control	Synthetic RNA	10-copy per reaction	
- FAM	Control	Synthetic RNA	Four 13.5-fold serial dilutions from 1 μg	
- HEX	NGFRP	HeLa RNA		
 Texas Red 	HSPA4	HeLa RNA		
— Су5	EF1a	HeLa RNA	dilutions from 1 µg	
- Cy5.5	GAPDH	HeLa RNA		

Fig. 2. Detection of 10 copies of synthetic RNA quantified by one-step RT-ddPCR. Fifty-three replicates of 10 copies of synthetic RNA (red circle) along with 5-plex reactions consisting of one target from synthetic RNA and four targets from HeLa RNA across the above serial dilutions were amplified using Reliance One-Step Multiplex Supermix. The results demonstrated reliable and sensitive detection of RNA targets down to 10 copies per reaction with tight Cq values between the replicates.

Unparalleled Stability of Assembled Reactions

Table 1. Comparison of assembled reaction stability after 24 hours. The five targets from Figure 1 across seven orders of magnitude (1 pg to 1 μ g) were amplified using various reagents on a CFX96 Touch System immediately after the reaction setup and then again after 24 hours incubation at room temperature protected from light. Reliance One-Step Multiplex Supermix maintained less than 1 Δ Cq between two runs (\blacksquare) indicating uncompromised performance even after 24 hour incubation of assembled reactions while other suppliers' reagents showed significantly declined performance with over 1 Δ Cq (\blacksquare) or no amplification (\blacksquare).

		Difference in Quantitation Cycle (0-24 hr), ΔCq				
Reagent	RNA Input (ng/rxn)	ACTB	NGFRP	TBP	EF1a	GAPDH
Bio-Rad Reliance	1,000	0.26	0.57	0.13	0.20	-0.34
One-Step Multiplex Supermix	100	0.32	0.48	0.02	0.17	-0.70
	10	0.24	0.69	0.17	0.24	-0.71
	1	0.28	0.37	-0.17	0.48	-0.70
	0.1	0.30	0.96	0.05	0.62	-0.74
	0.01	0.28	0.91	-0.77	-0.27	-0.70
	0.001	-0.21	_	-	0.95	-0.86
Company T	1,000	-0.15	1.63	11.88	-0.79	-0.93
	100	-0.65	5.82	8.57	-0.52	-0.96
	10	-0.46	2.28	2.46	0.30	-1.92
	1	-0.51	_	0.19	6.60	-1.76
	0.1	-0.13	_	_	15.02	15.62
	0.01	1.35	_	_	10.42	13.12
	0.001	10.54	_	_	-	4.43
Company Q	1,000	-0.69	-2.23	-0.46	-0.82	-0.90
	100	-0.73	-0.77	-0.16	-0.31	-0.91
	10	-0.66	0.10	1.76	-0.24	-0.81
	1	-0.78	4.60	1.78	0.47	-0.94
	0.1	-0.86	1.58	4.18	0.26	-1.05
	0.01	-0.80	_	1.36	7.94	-0.48
	0.001	-0.12	_	_	4.92	9.00

Ordering Information

Catalog # Description

12010176 Reliance One-Step Multiplex Supermix, 1 ml (1 x 1 ml vial),

 $200 \times 20 \ \mu l$ reactions, 4x RT-qPCR supermix, contains Reliance Reverse Transcriptase, a blend of high-performance DNA polymerases including Sso7d Fusion Polymerase, universal

reference dye, stabilizer, and reaction buffer

12010220 Reliance One-Step Multiplex Supermix, 5 ml (5 x 1 ml

vials), 1,000 x 20 μ l reactions, 4x RT-qPCR supermix, contains Reliance Reverse Transcriptase, a blend of high-performance DNA polymerases including Sso7d Fusion Polymerase, universal

reference dye, stabilizer, and reaction buffer

12010221 Reliance One-Step Multiplex Supermix, 10 ml (2 x 5 ml

vials), 2,000 x 20 μ I reactions, 4x RT-qPCR supermix, contains Reliance Reverse Transcriptase, a blend of high-performance DNA polymerases including Sso7d Fusion Polymerase, universal

reference dye, stabilizer, and reaction buffer

Related Products

1845075 CFX Automation System II

1725080 SingleShot Cell Lysis Kit, $100 \times 50 \mu l$ reactions 1725081 SingleShot Cell Lysis Kit, $500 \times 50 \mu l$ reactions

For research use only. Not for diagnostic purposes.

Visit bio-rad.com/PCRPlastics for a full range of PCR plastics and seals.

Visit bio-rad.com/RelianceOneStep for more information.



Bio-Rad's PCR reagents are manufactured under an ISO 13485:2016 certified Quality Management System and are quality control tested to ensure consistent product performance you can trust.

Bio-Rad and ddPCR are trademarks of Bio-Rad Laboratories, Inc. in certain jurisdictions. All trademarks used herein are the property of their respective owner.



Bio-Rad Laboratories, Inc.

Life Science Group Web site bio-rad.com USA 1 800 424 6723 Australia 61 2 9914 2800 Austria 43 01 877 89019 Belgium 32 03 710 53 00 Brazil 55 11 3065 7550 Canada 1 905 364 3435 China 86 21 6169 8500 Czech Republic 36 01 459 6192 Denmark 45 04 452 10 00 Finland 35 08 980 422 00 France 33 01 479 593 00 Germany 49 089 3188 4393 Hong Kong 852 2789 3300 Hungary 36 01 459 6190 India 91 124 4029300 Israel 972 03 963 6050 Italy 39 02 49486600 Japan 81 3 6361 7000 Korea 82 23473 4460 Mexico 52 555 488 7670 The Netherlands 31 0 318 540 666 New Zealand 64 9 415 2280 Norway 47 0 233 841 30 Poland 36 01 459 6191 Portugal 351 21 4727717 Russia 7 495 721 14 04 Singapore 65 6415 3188 South Africa 36 01 459 6193 Spain 34 091 49 06 580 Sweden 46 08 555 127 00 Switzerland 41 0617 17 9555 Taiwan 886 2 2578 7189 Thailand 66 2 651 8311 United Arab Emirates 971 4 8187300 United Kingdom 44 01923 47 1301

Bulletin 7175 Ver B US/EG 19-0508 0619 Sig 0119

